

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"11239956"	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2005/11/18 08:42
L2	1	("6652358").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/18 09:43
L3	2	"11239956"	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2005/11/18 10:09
L4	3	"01062718"	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2005/11/18 10:10
L5	1	"2001062718"	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2005/11/18 10:10
L6	1127	(451/8).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/18 10:45
L7	707	(451/89).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/18 10:35
L8	493	(451/262,264,265).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/18 10:35
L9	662	(451/268,269).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/18 10:35
L10	25310	grinding adj (device or machine)	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2005/11/18 10:45
L11	279	10 with sensors	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2005/11/18 10:47
L12	1	10 with multiple adj sensors	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2005/11/18 10:48

L13	8017	multiple adj sensors	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2005/11/18 10:48
L14	0	13 near2 grinding adj machine	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2005/11/18 10:48
L15	20038	grinding adj machine	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2005/11/18 10:49
L16	91	15 double adj sided	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2005/11/18 10:49
L17	1	16 distance adj sensors	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2005/11/18 10:51
L18	11250	distance adj sensors	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2005/11/18 10:51
L19	3673803	18 near2 multiple or plurality	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2005/11/18 10:51
L20	3673799	18 adj multiple or plurality	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2005/11/18 10:51
L21	203	(multiple or plurality) near2 distance adj sensor	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2005/11/18 10:59
L23	5950	grinding adj device or machine near2 distance adj sensor with wafer	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2005/11/18 11:01
L24	0	(grinding adj device or machine) near2 (plurality or multiple distance adj sensor) with wafer	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2005/11/18 11:02
L25	120	(grinding adj device or machine) near2 (plurality or multiple distance adj sensor) with wafer	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2005/11/18 11:03

L26	227103	((wafer or disc adj grinding) adj machine or device) near2 (plurality or multiple adj distance adj sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2005/11/18 11:04
L27	6807837	((wafer or disc adj grinding) adj machine or device)	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2005/11/18 11:04
L28	6807801	((((wafer or disc) adj grinding) adj machine or device)	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2005/11/18 11:04
L29	203	((((wafer or disc) adj grinding) adj ((machine or device)))	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2005/11/18 11:05
L30	22	29 with plurality or multiple adj distance adj sensors	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2005/11/18 11:05
L34	4	("4393628").PN. OR ("5989108").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/11/18 11:13
L38	4	("4393628").PN. OR ("5989108").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/11/18 11:15
L39	1	("5989108").PN. OR ("6652358").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/11/18 11:22
L43	3	"01062718"	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2005/11/18 11:23
L44	1	"2001062718"	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2005/11/18 11:23
S1	1125	(451/8).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/17 15:43
S2	109	double adj sided with grinding	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2005/11/14 14:33
S3	0	11-198009	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2005/11/15 08:23

S4	1	"11198009"	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2005/11/15 08:24
S6	0	double near2 sid\$3 near2 grinding adj machine same sensors	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2005/11/16 16:40
S7	3473196	grinding adj machine or apparatus or device with sensor	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2005/11/16 16:40
S8	20029	grinding adj machine	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2005/11/16 16:41
S9	1263	S8 sensor	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2005/11/16 16:41
S10	698	S9 distance	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2005/11/16 16:43
S11	41523	double adj side or sided near2 grinder or grinding with machine	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2005/11/16 16:43
S12	14440	S11 distance or correction adj sensor	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2005/11/16 16:44
S13	0	("10530722").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/17 10:06
S14	0	"10530722"	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2005/11/17 10:08
S15	215	"10493"	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2005/11/17 10:08
S16	0	jp/10493	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2005/11/17 10:08

S17	0	"200210493"	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2005/11/17 10:08
S18	32	"451"/\$.ccls. double adj grinding (machine or apparatus or device)	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2005/11/17 15:47
S19	28	"451"/\$.ccls. double near2 sided with grinding (machine or apparatus or device)	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2005/11/17 15:47
S20	1	("5989108").PN. OR ("6652358"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/11/17 15:51
S21	4	("4393628").PN. OR ("5989108"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/11/17 15:54